



SAFETY DATA SHEET
EXCEL COLOURWASH DESTAIN POWDER

Page 1
Issued: 11/02/2004
Revision No: 1

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: EXCEL COLOURWASH DESTAIN POWDER
Company name: J & W Whewell Ltd
New Bridge Chemical Works
Radcliffe
Manchester
M26 2GL
Tel: 0161 796 6333
Fax: 0161 766 3017
Email: hgregan@jwwhewell.co.uk

2. HAZARDS IDENTIFICATION

Main hazards: Harmful if swallowed. Irritating to eyes and skin.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: SODIUM PERCARBONATE 70-90%
[O] R8; [Xn] R22; [Xi] R36/38

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be mild irritation at the site of contact.
Eye contact: Irritating to eyes.
Ingestion: There may be soreness and redness of the mouth and throat. There may be difficulty swallowing.
Inhalation: Irritation of nose, throat and respiratory tract.

4. FIRST AID MEASURES (ACTION)

Skin contact: Wash skin with soap and water.
Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.
Ingestion: Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.
Inhalation: Remove to fresh air.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Water. Water spray. Carbon dioxide. Dry chemical powder.
Exposure hazards: Oxidising.
Protection of fire-fighters: Wear self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Do not create dust.
Environmental precautions: Do not discharge into drains or rivers.
Clean-up procedures: Wash the spillage site with large amounts of water.

[cont...]

7. HANDLING AND STORAGE

Handling requirements: Keep away from sources of ignition. Keep container tightly closed when not in use.

Storage conditions: Store in cool, well ventilated area. Keep away from sources of ignition.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not normally required if used as recommended.

Hand protection: Gloves.

Eye protection: Safety goggles.

Skin protection: Normal workwear.

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Powder

Colour: White

Odour: Odourless

Oxidising: Oxidising (by EC criteria)

Solubility in water: Soluble

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to avoid: Sources of ignition.

Materials to avoid: Acids.

11. TOXICOLOGICAL INFORMATION

Chronic toxicity: Direct contact.

Routes of exposure: Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

12. ECOLOGICAL INFORMATION**13. DISPOSAL CONSIDERATIONS**

Disposal of packaging: Dispose of containers with care.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION**ADR / RID**

UN no: 1479

ADR Class: 5.1

Packing group: III

Classification code: O2

Shipping name: OXIDIZING SOLID, N.O.S. (SODIUM PERCARBONATE)

Labelling: 5.1

Hazard ID no: 50



SAFETY DATA SHEET
EXCEL COLOURWASH DESTAIN POWDER

IMDG / IMO

UN no: 1479	Class: 5.1
Packing group: III	EmS: F-A,S-Q
Marine pollutant: .	Labelling: 5.1

IATA / ICAO

UN no: 1479	Class: 5.1
Packing group: III	Packing instructions: 516(P&CA); 518(CAO)
Labelling: 5.1	

15. REGULATORY INFORMATION**Hazard symbols:** Harmful.**Risk phrases:** R22: Harmful if swallowed.
R36/38: Irritating to eyes and skin.**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.**16. OTHER INFORMATION****Risk phrases used in s.2:** R8: Contact with combustible material may cause fire.
R22: Harmful if swallowed.
R36/38: Irritating to eyes and skin.**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

