

SAFETY DATA SHEET

Page 1 of 3

SPLASH HARD SURFACE CLEANER

Revision

Revision date 28-Jan-2008

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name SPLASH HARD SURFACE CLEANER

Company Nottingham Cleaning Supplies Limited

Unit 6a, Criftin Enterprise Centre

Oxton Road Epperstone Nottinghamshire NG14 6AT United Kingdom

Telephone +44 (0115) 965 4025 Fax +44 (0115) 965 4573

2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients

 Conc.
 CAS
 EINECS
 Symbols/Risk phrases

 2-Butoxyethanol
 1-10%
 111-76-2
 203-905-0
 Xn; R20/21/22 Xi; R36/38

 Tetrapotassium Pyrophosphate
 1-10%
 7320-34-5
 230-785-7
 Xi;R36

Fatty alcohol ethoxylate 1-10% NONE NONE Xn; R22 Xi; R36/38

3. HAZARDS IDENTIFICATION

Main hazards Irritating to eyes.

4. FIRST AID MEASURES

Skin contact May cause irritation to skin. Wash off immediately with plenty of soap and water.

Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.

Eye contact May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes

holding the eyelids open. Seek medical attention if irritation or symptoms persist.

Inhalation May cause irritation to mucous membranes. Move the exposed person to fresh air.

Ingestion May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek

medical attention if irritation or symptoms persist.

5. FIRE FIGHTING MEASURES

Fire hazards Burning produces irritating, toxic and obnoxious fumes.

Protective equipment Wear suitable respiratory equipment when necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Ensure adequate ventilation of the working area.

Environmental precautions Do not allow product to enter drains. Prevent further spillage if safe.

Clean up methods Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled

containers for disposal. Clean spillage area thoroughly with plenty of water.

SPLASH HARD SURFACE CLEANER

Revision

Revision date 28-Jan-2008

7. HANDLING AND STORAGE

Handling Avoid contact with eyes and skin. Ensure adequate ventilation of the working area.

Adopt best Manual Handling considerations when handling, carrying and dispensing.

Storage Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in

correctly labelled containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits

2-Butoxyethanol WEL 8-hr limit ppm: 25 WEL 8-hr limit mg/m3: -

WEL 15 min limit ppm: 50 WEL 15 min limit mg/m3: -

Engineering measures Ensure adequate ventilation of the working area.

Hand protection Chemical resistant gloves (PVC)

Eye protection In case of splashing, wear: Approved safety goggles.

Protective equipment Wear protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Description Liquid.

Colour Clear.

Odour Characteristic.

pH 10

Flammability limits Non flammable

Relative density 1.02

Water solubility soluble in water.

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.

11. TOXICOLOGICAL INFORMATION

Acute toxicity May cause irritation to eyes, respiratory system and skin.

12. ECOLOGICAL INFORMATION

Ecotoxicity In normal use this product does not present an environmental hazard.

13. DISPOSAL CONSIDERATIONS

General information Dispose of in compliance with all local and national regulations.

14. TRANSPORT INFORMATION

Further information The product is not classifed as dangerous for carriage.

15. REGULATORY INFORMATION

Risk phrases R36 - Irritating to eyes.

Safety phrases S2 - Keep out of the reach of children.

S24/25 - Avoid contact with skin and eyes.

SPLASH HARD SURFACE CLEANER

Revision

Revision date 28-Jan-2008

16. OTHER INFORMATION

Text of risk phrases in R20/21/22 - Harmful by inhalation, in contact with skin and if swallowed.

Section 2 R22 - Harmful if swallowed.

R36 - Irritating to eyes.

R36/38 - Irritating to eyes and skin.

Further information The information supplied in this Safety Data Sheet is designed only as guidance for the

safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other

process.